



100%
MADE IN ITALY



LINDHAUS®

QUALITY CLEANING EQUIPMENT

HEALTHCARE LINE



HEALTHCARE pro eco FORCE

HEALTHCARE pro eco Force

Two motor upright vacuum/electric broom/
carpet cleaner for domestic environments




H pro eF+M38e

STRENGTHS

- High efficiency Rotafil vacuum motor 700w
- Full set of tools on board
- Light, quiet, compact and easy to use
- 5-stage filtration system
- Electronic power nozzle turns it to a carpet cleaner and a dry cleaning system
- Special patented nozzle M29R floor tool (optional)
- Felt base (optional)
- Back pack kit (optional)
- HEPA filter (optional)
- Blowing function (optional)




H pro eF+M29R



The filtration efficiency tests done on Lindhaus machines by the independent laboratory SLG (Germany) show the result of its sophisticated construction technology. Thanks to the brush rolls with center convergent bristles that rotate at 5000 RPM/min. and the powerful suction, the Lindhaus carpet cleaners are able to remove and deeply clean dust and debris in order to live in healthier and cleaner environments. CRI (Carpet & Rug Institute U.S.A.) and SLG (Germany) have certified all Lindhaus carpet cleaners for their superior ability to remove dust that is fully retained.

NET FILTRATION EFFICIENCY



Microfilter



HEPA filter



IDEAL FOR ANY KIND OF ENVIRONMENT

Thanks to its quick release neck, in a few seconds you can change from the professional dual motor carpet cleaner to the electric broom function. The M38e power nozzle equipped with four wheels, height adjustment and electronic overload control are perfectly adaptable to any kind of carpet and rugs. Thanks to the 5000 RPM brush roller with center convergent bristles and its powerful suction, HEALTHCARE pro is able to deeply remove dust and debris for better living in healthier and cleaner environments.



DRY CLEANING

In a few seconds and without any tool you can install the DCS converter to transform the M38e into a dry carpet cleaner. The treatment is achieved thanks to the new product "LS500 Crystal" which removes stains and encapsulates the dirt in microcrystals.



ELECTRIC BROOM

Powerful, quiet and very maneuverable, it is available with the optional patented hard floor tool M29R. The suction is perfect all around, and the center bristles are self cleaning. For wood and marble floors a natural felt base is available (optional) and can be applied to the same nozzle; the new floor tool M32R is available for large surfaces.



The machine can be locked in vertical position and stands up on its own, making its use even more practical.

EXCLUSIVE ACCESSORIES

Healthcare pro is equipped with several standard and optional exclusive accessories.

The "De Lux" accessory kit includes: upholstery tool, rotating round dusting brush, brush for telescopic crevice tool, blower.



NET FILTRATION EFFICIENCY

The 5-stage filtration with the exhaust 3M Filtrete microfilter can be replaced with the HEPA filter or the activated carbon/microfilter making the HEALTHCARE pro a perfect machine for your home and healthcare environments.

The filtration efficiency tests done on Lindhaus machines by the independent laboratory SLG (Germany) show the result of our advanced building technology.

BACK PACK KIT

With an easy back pack kit (optional) Healthcare pro becomes a practical and light weight back pack unit that allows the user to easily move in close and narrow environments.





TECHNICAL SPECIFICATIONS

HEALTHCARE pro eco FORCE

Working width - vacuum mm (in)	380 (14.9)
Working width - brush mm (in)	350 (13.8)
Working capacity apx. sqm/h (sqf/h)	460 (4952)
Filter bag capacity (2-ply paper bag - lt.)	4
Brush roller rotation speed (RPM)	5000
Base height mm (in)	85 (3.3)
Weight on handle kg (lb)	1.3 (2.9)
Full set of tools on board	Standard
Voltage/Frequency (V/Hz)	120/60
Input power (W)	850
Rotafil high-efficiency vacuum motor (W)	700
Rotafil top-performance brush motor (W)	150
Power cord length m (ft)	10.7 (35.1)
Water-lift/vacuum mm/H ₂ O (in/H ₂ O)	2300 (90.6)
Air flow lt./sec. (CFM)	49 (103.8)
Motor protection filter	Standard
Filtration level with 3M Filtrete exhaust microfilter (standard)	99.91% at 0.3 μ
Filtration level with HEPA filter H13 (optional)	99.97% at 0.3 μ
Vacuum motor protection system	Thermo/amp.
Noise level (dba)	69
Total net weight kg (lb)	4.7 (10.4)
Dimensions mm (in)	380x230x1210 (15x9.06x47.6)
M29R nozzle	optional
Working width - vacuum mm (in)	290 (11.4)
Working width - brush mm (in)	290 (11.4)
Base height mm (in)	45 (1.8)



HEADQUARTERS • LINDHAUS SRL
Via Belgio, 22 Z.I. 35127 • Padova, ITALY
tel. +39 049 8700307 • fax +39 049 8700605
vacuum@lindhaus.it • www.lindhaus.it

LINDHAUS USA
Minneapolis • Minnesota USA
tel. 800 498 7526 • Fax 952 707 1134
info@lindhaus.com • www.lindhaususa.com

DEALER STAMP

The company Lindhaus srl reserves its right to make any modifications without any prior notice.