



100%  
MADE IN ITALY



# LINDHAUS®

QUALITY CLEANING EQUIPMENT

DOMESTIC



## Linda Hepa eco 7



# LINDA HEPA eco 7

Multifunction electric broom for domestic environments

## STRENGTHS

- Special patented nozzle M29R
- High efficiency Rotafil vacuum motor 700W
- Light and manoeuvrable
- **The dirt comes from the top by falling and fills up the filter bag completely**
- Electronic power nozzle (optional) turns it to a carpet cleaner and a dry cleaning system
- Back pack vacuum cleaner (optional)
- 7-stage filtration and HEPA filter (standard)
- **Blowing function (optional)**
- Full set of accessories (optional)
- Felt base (optional)




## NET EFFICIENCY FILTRATION

Thanks to the brush roll with convergent bristles to the centre that rotate at **5000 RPM/min.** and the powerful suction, the **Lindhaus** carpet cleaners are able to remove and deeply suck dust and debris in order to live in **healthier and cleaner** environments.

**CRI** (Carpet & Rug Institute U.S.A.) has certified all **Lindhaus** carpet cleaners for their superior ability to remove dust that is fully retained.


## Optional





The **electronic overload control** switches off the motor of the power nozzle in case of excessive overload and provides guidelines for the proper base adjustment. The **"Dry Cleaning System" DCS** is integrated. The machine goes down completely horizontally for easy access under low furniture and beds.

The patented **M29R** Lindhaus universal nozzle with 4 rubber wheels and **all around suction** can be equipped with a felt plate to vacuum and polish **delicate floors** such as wood and marble. The **flex hose** for the above the floor cleaning is mounted on top of the machine without removing the nozzle and without carrying the whole weight of the machine. The **blowing function** (optional) makes it possible to dislodge the most difficult dust to be sucked.





## TECHNICAL SPECIFICATIONS

## LINDA Hepa eco 7

Working width - vacuum mm (in)	290 (11.4)
Working width - brush mm (in)	290 (11.4)
Filter bag capacity (3-ply microfiber bag - lt.)	3
Full set of tools on board	Optional
Blower function	Optional
Voltage/Frequency (V/Hz)	120/60
Input power (W)	700
Rotafil high-efficiency vacuum motor (W)	700
Power cord length mt. (feet)	8 (26.2)
Water-lift/vacuum mm/H <sub>2</sub> O (in/H <sub>2</sub> O)	2300 (90.6)
Air flow lt./sec. (CFM)	49 (103.8)
Carbon active filter/microfilter	Standard
HEPA H13 filter	Standard
HEPA filtration level at 0.3μ	99,98%
Vacuum motor protection	Standard
Full bag indicator	Standard
Noise level (dbA)	67.6
Total net weight kg (lb)	4.4 (9.7)
Dimensions mm (in)	290x180x1270 (11.4x7.1x50)
<b>Power Nozzle M30e</b>	<b>(Optional)</b>
Working width - vacuum/brush mm (in)	300/270 (11.8/10.6)
Brush roller rotation speed (RPM)	5000
Rotafil top-performance brush motor (W)	150
Overload electronic control	Standard
Protected cogged drive belt	Standard
Metal roller supports with ball-bearings	Standard
Brush height adjustment 1-10 mm	Standard
Dry Cleaning System D.C.S.	Standard
Double insulation	Standard
Weigth kg (lb)	2.4 (5.3)

APPROVALS:  

HEADQUARTERS • LINDHAUS SRL  
Via Belgio, 22 Z.I. 35127 • Padova, ITALY  
tel. +39 049 8700307 • fax +39 049 8700605  
vacuum@lindhaus.it • www.lindhaus.it

LINDHAUS USA  
Minneapolis • Minnesota USA  
tel. 800 498 7526 • Fax 952 707 1134  
info@lindhaus.com • www.lindhaususa.com

DEALER STAMP

The company Lindhaus srl reserves its right to make any modifications without any prior notice.