



100%
MADE IN ITALY



LINDHAUS®

QUALITY CLEANING EQUIPMENT

PROFESSIONAL LINE



ACTIVA 30 pro eco FORCE



Activa 30 pro eco FORCE


Single motor carpet cleaner for small surfaces



STRENGTHS

- Ultra-light machine (1.63lb weight on handle)
- Ultra strong metal brush supports with ball bearings
- **Accessories integrated on board**
- Replacement filter bag on board
- **Extremely stable**
- Extremely low profile
- Integrated dry cleaning system
- Interchangeable roller covers for carpets and floors
- Telescopic handle for maximum comfort
- **Very low energy consumption**

Activa pro eco FORCE
More than just a vacuum!



CARPET CLEANER

Activa represents a new generation of the highest filtration vacuum/dry carpet cleaning machine all in one.

This uniquely designed world class, single motor vacuum is **light weight**, and has two geared belts protected by a patented clutch system and an **electronic overload control**.

The lightest and quietest of its class, **Activa** is equipped with four wheels to smoothly follow the desired direction. The lowest possible barycentre allows the above the floor cleaning preventing the risk of failing off.

EXTREMELY LOW PROFILE

The sleek low profile design and **tool incorporated into the back housing**, allows the machine to **lie flat** for easy access under furniture. It has interchangeable filtration option, 3M Filtrete (standard), optional carbon/active charcoal filter (to odors), or S-Class **HEPA** filtration.

SILENT


You can count on the **lowest possible sound** level from the **Activa**, thanks to the superior engineering of all the components, and **dynamic balancing of all rotating parts**.

BRUSH CHANGE

Nothing could be easier. **No tools are required to change the brush roll or to clean the base housing**. The patented clutch system and the electronic overload control protect the two cogged drive belts and the motor from overload or brush blockage.


PATENTED DRY CLEANING SYSTEM

Converting the vacuum to a dry carpet cleaning system is simple as installing a special conveyor. **No tools required!** For your convenience **Lindhaus** also offers many upholstery cleaners.



Activa is equipped with 6 stages of filtration. At the final stage an electrostatic microfilter (3M Filtrete) ensures more than 98% of filtration efficiency at 0.3 micron. You can install the optional filters S-Class Hepa for healthcare environments, which assures 99.96% of filtration efficiency at 0.3 micron. To trap offensive odors use the Lindhaus Carbon Active/Microfilters. All exhaust filters are impregnated with Total antiseptic treatment to avoid the outflow of living micro-organisms.

NET EFFICIENCY FILTRATION



ELECTRONIC PROTECTION

The electronic circuit permits you to **correctly regulate the height of brush roll**; it allows the motor to start softly while keeping it at constant speed. The motor will stop immediately should the brush roll get blocked-this will avoid damage to the clogged belt and all the moving parts.

INTERCHANGEABLE BRUSH SHOE PLATE (optional)

Thanks to the **interchangeable shoe plates Activa can be used also on hard floors**:

- with squeegee and front wheels for common hard floors: ceramic, linoleum, etc.
- with felt for delicate floors: marble and wood



TECHNICAL DATA

Activa 30 pro

Working width - vacuum (mm/in)	303 / 12
Working width - brush (mm/in)	272 / 10.7
Working capacity apx. (sqm/h/sqf/h)	480 / 5167
Filter bag capacity (2-ply paper bag-lt.)	4.5
Brush roller rotation speed (RPM)	5000
Base height (mm/in)	110 / 4.33
Weight on handle (kg/lb)	0.74 / 1.63
Full set of tools on board	Standard
Voltage/Frequency (V/Hz)	120 / 60
Input power (W)	850
Rotafil high-efficiency vacuum motor (W)	850
Power cord length (mt./feet)	12.5 / 41
Water-lift/vacuum (mm/H ₂ O/in/H ₂ O)	2000 / 79
Air flow (lt./sec./CFM)	49 / 103.8
3M Filtrete exhaust microfilter	Standard
Motor protection filter	Standard
HEPA filtration level at 0.3μ (H11-opt.)	99.96%
Vacuum motor protection	Electronic
Overload electronic control	Standard
Insulation class	II
Noise level (dba)	69
Total net weight (kg/lb)	6.7 / 14.8
Dimensions (mm/in)	315x300x1180/12.4x11.8x46.5

APPROVALS:



HEADQUARTERS • LINDHAUS SRL

Via Belgio, 22 Z.I. 35127 • Padova, ITALY
tel. +39 0498700307 • fax +39 049 8700605
vacuum@lindhaus.it • www.lindhaus.it

LINDHAUS USA

Minneapolis • Minnesota USA
info@lindhaus.com • www.lindhaus.com

DEALER STAMP