



LINDHAUS®

QUALITY CLEANING EQUIPMENT

PROFESSIONAL LINE



LW35 Flexy



LW35 Flexy

Professional battery scrubber drier

STRENGTH

- Design, technology and construction 100% made in Italy
- Ideal for any hard floor
- **The body frame rotates freely 90° on both sides**
- **Flexy joint for maximum manoeuvrability**
- **High battery autonomy: 45 min**
- Tank autonomy: 15 min.
- Water tank capacity 2.5 l
- Base height of 150 mm only
- Very low water consumption
- **Weight on handle 960 g with full tank only**
- Total weight 10.1 kg including battery



IDEAL FOR ALL FLOOR TYPES

The **LW35** can clean all kind of hard floors, from the roughest to the most delicate. The low profile of the base and the flexibility of the upright body make it **exceptionally manoeuvrable**, pleasant to use and give unbelievably result.





INNOVATIVE FLEXY JOINT

The swivelling **Flexy joint** makes the machine **steerable and very manoeuvrable**. The body frame can be tilted and rotated **90° on both sides to a horizontal position**; this allows easy access under low tables and furniture. The **LW35 Flexy** is the lowest battery-powered professional scrubber-dryer in the world.




QUICK BATTERY REPLACEMENT

The machine is equipped with a powerful **36V-6Ah** lithium-ion battery that allows **45 minutes** autonomy; the powerful Lindhaus battery charger enables it to be fully recharged in just **90 minutes**.

PERFECT DRYNESS WITH JUST ONE SUCTION NOZZLE: LINDHAUS PATENTED SYSTEM

Thanks to a removable front squeegee combined with a rear suction squeegee, the machine is able to clean and leave the floor dry **in both directions** as if it had two suction nozzles. The result is a **compact and efficient machine** that, with a single **300W** motor, guarantees performance comparable to a scrubber dryer with double suction.



FULLY OPENABLE RECOVERY TANK

Emptying and washing the recovery tank and replacing the washable sponge filter **is very easy** thanks to the easy opening of the tank. The washable **HEPA H11** filter (optional) is also available, making the machine **suitable for sanitary environments**.



EASY AND TOOL-FREE ROLLER REPLACEMENT

The roller can be replaced in seconds and **without tools**: unhook the side support and slide it off to the side. **Easy!**





DIFFERENT TYPES OF ROLLERS FOR ANY FLOORING

LW35 Flexy knows no obstacles! Rollers and pads of different hardnesses are available to adapt **to any type of floor**: marble, wood, ceramics, terracotta, gress, pvc and linoleum, including the anti-slip and anti-trauma rubber floors, typical of fitness centres.

APPLICATION FIELDS

LW35 can operate on any type of hard floor with spaces **from 538 to 3230 ft²**: restaurants, hotels, shops, offices, bakeries, butcher shops, restaurant kitchens, schools, surgery rooms, beauty centers etc.



TECHNICAL DATA	LW35 Flexy
Working width - vacuum mm (in)	365 (14.4)
Working width - brush mm (in)	335 (13.2)
Working capacity apx. m ² /h (ft ² /h)	600 (6458)
Solution tank capacity (lt.)	2.5
Recovery tank capacity (lt.)	2.5
Working time with full tank (min.)	18
Brush roller rotation speed (RPM)	1400
Base height mm (in)	150 (5.9)
Weight on handle full tank kg (lb)	0.96 (1.92)
Voltage/Frequency (V)	36 DC
Input power (W)	300
Rotafil high-efficiency vacuum motor (W)	300
Battery charger	220-240/50-60
Li-ion battery (V/Ah)	36/6
Run-time - fully charged battery (min.)	45
Battery recharging time (min.)	90
Electronic overload control	Standard
Electronic pump control	Standard
Water dosing	Pump
Protection class	IPX4
Noise level (dbA)	70
Total weight battery included kg (lb)	10.1 (20.2)
Dimensions mm (in)	390x430x1150 h (15.3x16.9x45.3 h)

APPROVALS: **CE**

HEADQUARTERS • LINDHAUS SRL
Via Belgio, 22 Z.I. 35127 • Padova, ITALY
tel. +39 049 8700307 • fax +39 049 8700605
vacuum@lindhaus.it • www.lindhaus.it

LINDHAUS USA
Minneapolis • Minnesota USA
tel. 800 498 7526 • Fax 952 707 1134
info@lindhaus.com • www.lindhaususa.com

DEALER STAMP